



' vol. 1 SOFAS and SEATING SYSTEMS

### SOFA AND SEATING SYSTEMS

Elements in flame-retardant polyurethane foam in varied densities, covered with polyester fiberfill over wood frame. Polyurethane available in the version complying with Cal TB117 free of flame retardants or BS 5852, crib 5. Black polypropylene feet screwed to the frame.

The Gogan collection covers are removable.

#### NOTE:

- Composition's drawings are of right-facing versions only
- Optional cushions NOT included
- Please add 4 weeks to standard lead time for delivery

' vol. 1 DIVANI E SISTEMI DI SEDUTE

### DIVANI E SISTEMI DI SEDUTE

Elementi in poliuretano espanso ignifugo a densità differenziate, rivestito da fibra poliestere con struttura interna in legno. Poliuretano disponibile nella versione conforme a Cal TB117 privo di ritardanti di fiamma o BS 5852, crib 5. Piedi in polipropilene nero avvitati alla struttura.

La collezione Gogan è sfoderabile.

#### NOTE:

- Tutti i disegni delle composizioni si riferiscono alla versione destra
- I cuscini opzionali NON sono inclusi
- Consegna in 8 settimane



#### Recommended fabric hangers

##### Tirelle e tessuti consigliati


- 121-Elastic Fantastic 1 > Elastic 1 Uniform Melange
- 134-Elastic Fantastic 3 > Otto
- 135-Spring Palette > 1, 2, 3, 4
- 139-Norwegian Wood > Orsetto, Terrazzo, Yellowstone
- 139-Norwegian Wood > Yeti, Zanzibar

## Armchair

### Poltrona

001

3,4 mt. ★ 6,5 m<sup>2</sup> 0,8 m<sup>3</sup> 36 Kg





86

## 2 seater sofa major

### Divano 2 posti major

018

12 mt. ★ 22,8 m<sup>2</sup> 2,1 m<sup>3</sup> 175 Kg





260

## Composition CA1R or CA1L

### Composizione CA1Dx-CA1Sx

CA1

12 mt. ★ 22,8 m<sup>2</sup> 3,2 m<sup>3</sup> 190 Kg



180


284

## Composition CB1

### Composizione CB1

CB1

14,3 mt. ★ 28 m<sup>2</sup> 2,9 m<sup>3</sup> 190 Kg



311

180

360



180

## 3 seater sofa

### Divano 3 posti

003

12,5 mt. ★ 23,5 m<sup>2</sup> 3,5 m<sup>3</sup> 200 Kg



272


310

## Composition CA2R or CA2L

### Composizione CA2Dx-CA2Sx

CA2

12,6 mt. ★ 24 m<sup>2</sup> 3,8 m<sup>3</sup> 205 Kg



220


324

## Composition CB2

### Composizione CB2

CB2

16,5 mt. ★ 32 m<sup>2</sup> 3,7 m<sup>3</sup> 220 Kg



391

220

440


220

## Composition SP3R or SP3L

### Composizione SP3Dx-SP3Sx

SP3

26,4 mt. ★ 50 m<sup>2</sup> 5,9 m<sup>3</sup> 400 Kg




## Composition SP4R or SP4L

### Composizione SP4Dx-SP4Sx

SP4

27,1 mt. ★ 51,5 m<sup>2</sup> 7,6 m<sup>3</sup> 395 Kg




## Composition SP2

### Composizione SP2

SP2

22 mt. ★ 42 m<sup>2</sup> 4,6 m<sup>3</sup> 285 Kg




## Composition SP5R or SP5L

### Composizione SP5Dx-SP5Sx

SP5

23 mt. ★ 44 m<sup>2</sup> 5 m<sup>3</sup> 300 Kg




## Composition SP6

### Composizione SP6

SP6

23,8 mt. ★ 4545,3 m<sup>2</sup> 5,4 m<sup>3</sup> 315 Kg




## Lateral unit left 180

Elemento laterale sx 180

794

7,5 mt. ★ 14,5 m<sup>2</sup> 1,5 m<sup>3</sup> 95 Kg




## Lateral unit right 180

Elemento laterale dx 180

798

7,5 mt. ★ 14,5 m<sup>2</sup> 1,5 m<sup>3</sup> 95 Kg




## Lateral unit left 220

Elemento laterale sx 220

894

8,2 mt. ★ 15,8 m<sup>2</sup> 1,9 m<sup>3</sup> 110 Kg




## Lateral unit right 220

Elemento laterale dx 220

898

8,2 mt. ★ 15,8 m<sup>2</sup> 1,9 m<sup>3</sup> 110 Kg




## Cushion 55x45

Cuscino 55x45

OKE

1,2 mt. ★ 2,3 m<sup>2</sup>



## Cushion 40x40

Cuscino 40x40

O4K

0,6 mt. ★ 1,1 m<sup>2</sup>

